



|  |  |  |
|--|--|--|
| What are Case Select/Switch Statements used for in programming | What is malware                        | What is the difference between ASCII and UNICODE |
| What is backup software used for                               | What is network-attached storage (NAS) | What is the purpose of search algorithms         |



|   |   |  |
|---|---|--|
| <p><i>What are Case Select/Switch Statements used for in programming</i></p> <p><b>Case Select/Switch Statements are used to run one of many possible instructions based on the condition of a variable.</b></p>            | <p><i>What is malware</i></p> <p><b>- "Different types of harmful software including viruses, spyware, adware, pharming, scareware, ransomware, and rootkits, which can harm a computer system or spy on the user."</b></p> | <p><i>What is the difference between ASCII and UNICODE</i></p> <p><b>Answer: ASCII is a character set that represents the main characters in the English language, while UNICODE is a character set that can represent characters in various languages around the world.</b></p> |
| <p><i>What is backup software used for</i></p> <p><b>Backup software is used to create a copy of some data and store it elsewhere in case of data loss through malware, attacks, natural disasters, accidents, etc.</b></p> | <p><i>What is network-attached storage (NAS)</i></p> <p><b>Answer: Network Attached Storage (NAS) allows multiple computers to access the same storage.</b></p>   | <p><i>What is the purpose of search algorithms</i></p> <p><b>To find items of data.</b></p>  |