



<p>How does incremental backup differ from full backup</p>	<p>What are the three types of operators commonly used in programming languages</p>	<p>What is the binary representation of the hexadecimal number D7</p>
<p>What is the 8-bit binary representation of the decimal number 38</p>	<p>What is the denary equivalent of the binary number 1010</p>	<p>What is the hexadecimal representation of the decimal number 255</p>



<p><i>How does incremental backup differ from full backup</i></p> <p><b>Incremental backup only backs up files that have changed since the last backup, while full backup makes a copy of all the files on a system.</b></p>	<p><i>What are the three types of operators commonly used in programming languages</i></p> <p><b>The three types of operators commonly used in programming languages are arithmetic operators, relational operators, and Boolean operators.</b></p>	<p><i>What is the binary representation of the hexadecimal number D7</i></p> <p><b>The binary representation of the hexadecimal number D7 is 11010111.</b></p>
<p><i>What is the 8-bit binary representation of the decimal number 38</i></p> <p><b>The 8-bit binary representation of the decimal number 38 is 00100110.</b></p>	<p><i>What is the denary equivalent of the binary number 1010</i></p> <p><b>The denary equivalent of the binary number 1010 is 10.</b></p>	<p><i>What is the hexadecimal representation of the decimal number 255</i></p> <p><b>The hexadecimal representation of the decimal number 255 is FF.</b></p>